



Colorimetric Parameters

Chromaticity Coordinate: $x=0.5057$ $y=0.4201$ / $u'=0.2877$ $v'=0.5378$
 CCT=2232K (Duv=0.0015) Dominant WL:Ld =586.6nm Purity=77.9%
 Peak WL:Lp=650.5nm FWHM=131.1nm
 Render Index:Ra=97.6 Render Index:AvgR =97.3
 R1 =98 R2 =100 R3 =96 R4 =94 R5 =97 R6 =98 R7 =99
 R8 =99 R9 =97 R10=99 R11=89 R12=99 R13=98 R14=96 R15=99

Photometric & Radiometric Parameters

Flux=185.1 lm Eff.:64.07 lm/W Fe=857.9 mW

Electrical parameters

V=24.00 V I=0.1204 A P=2.889 W PF=1.000 F=0.00 Hz

LEVEL:OUT WHITE:OUT

Status: Integral T = 46 ms Ip = 48004 (73%)

Test Mode: Accuracy Test; Sensitivity = High; Tecool: ON

Model:XFL-HD-2403-70022-2295-SP005 Number:1
 Test By:** Date:2020-06-29 13:30:20
 Temperature:23Deg Humidity:55%
 Manufacturer:
 Assessor:damin

TM30

