



Colorimetric Parameters

Chromaticity Coordinate: $x=0.4348$ $y=0.4024$ / $u'=0.2499$ $v'=0.5204$
 CCT=3023K (Duv=-0.0004) Dominant WL: $L_d = 582.8$ nm Purity=51.3%
 Peak WL: $L_p = 646.9$ nm FWHM=193.7nm
 Render Index: $R_a = 97.1$ Render Index: AvgR = 96.6
 R1 = 99 R2 = 98 R3 = 95 R4 = 94 R5 = 98 R6 = 98 R7 = 96
 R8 = 98 R9 = 99 R10 = 96 R11 = 92 R12 = 90 R13 = 100 R14 = 97 R15 = 99

Photometric & Radiometric Parameters

Flux=325.5 lm Eff.:72.34 lm/W $F_e = 1.327$ W

Electrical parameters

V=24.00 V I=0.1875 A P=4.500 W PF=1.000 F=0.00 Hz

LEVEL:OUT WHITE:ANSI_3000K

Status: Integral T = 36 ms $I_p = 48078$ (73%)

Test Mode: Accuracy Test; Sensitivity = High; Tecool: ON

Model: XFL-HD-2403-70022-3095-SP005 Number: 2
 Test By: *** Date: 2020-06-09 14:16:45
 Temperature: 23Deg Humidity: 55%
 Manufacturer: Remarks:
 Assessor: damin ~~Device~~ SN:

TM30

