



Colorimetric Parameters

Chromaticity Coordinate: $x=0.4707$ $y=0.4081$ / $u'=0.2707$ $v'=0.5280$
 CCT=2536K (Duv=-0.0017) Dominant WL:Ld =585.6nm Purity=63.8%
 Peak WL:Lp=615.9nm FWHM=97.7nm
 Render Index:Ra=91.7 Render Index:AvgR =89.6
 R1 =96 R2 =99 R3 =95 R4 =96 R5 =96 R6 =93 R7 =86
 R8 =73 R9 =44 R10=99 R11=98 R12=86 R13=98 R14=99 R15=87

Photometric & Radiometric Parameters

Flux=210.0 lm Eff.:65.34 lm/W Fe=693.5 mW

Electrical parameters

V=24.00 V I=0.1339 A P=3.213 W PF=1.000 F=0.00 Hz

LEVEL:OUT WHITE:OUT

Status: Integral T = 45 ms Ip = 49050 (75%)
 Test Mode: Accuracy Test; Sensitivity = High; Tecool: ON

Model:XFL-SE-2403-12022-2795-SP005 Number:21
 Test By:*** Date:2020-06-12 17:32:59
 Temperature:23Deg Humidity:55%
 Manufacturer: Remarks:
 Assessor:damin

TM30

