



Colorimetric Parameters

Chromaticity Coordinate: $x=0.5034$ $y=0.4195$ $u'=0.2865$ $v'=0.5373$
 CCT=2251K (Duv=0.0013) Dominant WL:Ld =586.5nm Purity=77.1%
 Peak WL:Lp=648.1nm FWHM=131.8nm
 Render Index:Ra=97.4 Render Index:AvgR =97.1
 R1 =98 R2 =100 R3 =95 R4 =94 R5 =97 R6 =98 R7 =98
 R8 =99 R9 =97 R10=99 R11=89 R12=98 R13=98 R14=96 R15=99

Photometric & Radiometric Parameters

Flux=76.01 lm Eff.:53.32 lm/W Fe=351.6 mW

Electrical parameters

V=24.00 V I=0.05940 A P=1.425 W PF=1.000 F=0.00 Hz

LEVEL:OUT WHITE:OUT

Status: Integral T = 110 ms Ip = 46841 (71%)
 Test Mode: Accuracy Test; Sensitivity = High; Tecool: ON

Model:XFL-TW-2409-24022-22/3095-SP005
 Test By:*** Date:2020-06-12 16:36:29
 Temperature:23Deg Humidity:55%
 Manufacturer: Remarks:
 Assessor:damin

TM30

