



Colorimetric Parameters

Chromaticity Coordinate: $x=0.4734$ $y=0.4083$ $u'=0.2723$ $v'=0.5285$
 CCT=2504K (Duv=-0.0017) Dominant WL:Ld =585.8nm Purity=64.7%
 Peak WL:Lp=649.3nm FWHM=145.7nm
 Render Index:Ra=96.9 Render Index:AvgR =96.9
 R1 =98 R2 =99 R3 =96 R4 =93 R5 =97 R6 =98 R7 =96
 R8 =97 R9 =98 R10=99 R11=90 R12=99 R13=98 R14=97 R15=99

Photometric & Radiometric Parameters

Flux=142.8 lm Eff.:51.68 lm/W Fe=627.7 mW

Electrical parameters

V=24.00 V I=0.1151 A P=2.762 W PF=1.000 F=0.00 Hz

LEVEL:OUT WHITE:OUT

Status: Integral T = 68 ms Ip = 48348 (74%)

Test Mode: Accuracy Test; Sensitivity = High; Tecool: ON

Model:XFL-TW-2417-24022-24/3595-SP005

Test By:***

Temperature:23Deg

Manufacturer:

Assessor:damin

Date:2020-06-12 16:24:05

Humidity:55%

Remarks:

TM30

