



Colorimetric Parameters

Chromaticity Coordinate: $x=0.4699$ $y=0.4110$ / $u'=0.2688$ $v'=0.5290$
 CCT=2569K (Duv=-0.0006) Dominant WL:Ld =585.1nm Purity=64.4%
 Peak WL:Lp=646.9nm FWHM=148.7nm
 Render Index:Ra=97.0 Render Index:AvgR =97.0
 R1 =98 R2 =99 R3 =96 R4 =93 R5 =97 R6 =99 R7 =97
 R8 =98 R9 =99 R10=99 R11=89 R12=98 R13=98 R14=97 R15=99

Photometric & Radiometric Parameters

Flux=153.0 lm Eff.:54.83 lm/W Fe=665.8 mW

Electrical parameters

V=24.00 V I=0.1163 A P=2.791 W PF=1.000 F=0.00 Hz

LEVEL:OUT WHITE:OUT

Status: Integral T = 66 ms Ip = 49109 (75%)
 Test Mode: Accuracy Test; Sensitivity = High; Tecool: ON

Model:XFL-TW-2409-24022-22/3095-SP005
 Test By:*** Date:2020-06-12 16:38:43
 Temperature:23Deg Humidity:55%
 Manufacturer: Remarks:
 Assessor:damin

TM30

