



Colorimetric Parameters

Chromaticity Coordinate: $x=0.5036$ $y=0.4184$ $u'=0.2872$ $v'=0.5369$

CCT=2241K (Duv=0.0010) Dominant WL:Ld =586.7nm Purity=76.8%

Peak WL:Lp=651.7nm FWHM=131.3nm

Render Index:Ra=97.2 Render Index:AvgR =96.9

R1 =98 R2 =100 R3 =96 R4 =93 R5 =96 R6 =98 R7 =98

R8 =99 R9 =98 R10=99 R11=88 R12=97 R13=98 R14=97 R15=99

Photometric & Radiometric Parameters

Flux=120.2 lm Eff.:49.47 lm/W Fe=557.9 mW

Electrical parameters

V=24.00 V I=0.1012 A P=2.429 W PF=1.000 F=0.00 Hz

LEVEL:OUT WHITE:OUT

Status: Integral T = 70 ms Ip = 47480 (72%)

Test Mode: Accuracy Test; Sensitivity = High; Tecool: ON

Model:XFL-TW-2414-24022-22/3095-SP005

Test By:***

Temperature:23Deg

Manufacturer:

Assessor:damin

Date:2020-06-12 17:10:15

Humidity:55%

Remarks:

TM30

