



Colorimetric Parameters

Chromaticity Coordinate: $x=0.5031$ $y=0.4186$ $u'=0.2868$ $v'=0.5369$

CCT=2248K (Duv=0.0010) Dominant WL:Ld =586.6nm Purity=76.7%

Peak WL:Lp=650.4nm FWHM=131.7nm

Render Index:Ra=97.2 Render Index:AvgR =96.9

R1 =98 R2 =100 R3 =96 R4 =93 R5 =97 R6 =98 R7 =98

R8 =99 R9 =97 R10=99 R11=88 R12=97 R13=98 R14=97 R15=99

Photometric & Radiometric Parameters

Flux=144.5 lm Eff.:49.55 lm/W Fe=668.0 mW

Electrical parameters

V=24.00 V I=0.1215 A P=2.916 W PF=1.000 F=0.00 Hz

LEVEL:OUT WHITE:OUT

Status: Integral T = 59 ms Ip = 47840 (73%)

Test Mode: Accuracy Test; Sensitivity = High; Tecool: ON

Model:XFL-TW-2417-24022-22/3095-SP005

Test By:***

Temperature:23Deg

Manufacturer:

Assessor:damin

Date:2020-06-12 17:18:30

Humidity:55%

Remarks:

TM30

