



Colorimetric Parameters

Chromaticity Coordinate: $x=0.4691$ $y=0.4092$ / $u'=0.2691$ $v'=0.5282$
 CCT=2565K (Duv=-0.0012) Dominant WL:Ld =585.3nm Purity=63.7%
 Peak WL:Lp=648.1nm FWHM=148.6nm
 Render Index:Ra=96.8 Render Index:AvgR =96.9
 R1 =98 R2 =99 R3 =96 R4 =93 R5 =97 R6 =98 R7 =97
 R8 =97 R9 =99 R10=99 R11=89 R12=98 R13=98 R14=97 R15=99

Photometric & Radiometric Parameters

Flux=288.2 lm Eff.:51.25 lm/W Fe=1.253 W

Electrical parameters

V=24.00 V I=0.2343 A P=5.623 W PF=1.000 F=0.00 Hz

LEVEL:OUT WHITE:OUT

Status: Integral T = 34 ms Ip = 47746 (73%)
 Test Mode: Accuracy Test; Sensitivity = High; Tecool: ON

Model:XFL-TW-2417-24022-22/3095-SP005
 Test By:*** Date:2020-06-12 17:20:23
 Temperature:23Deg Humidity:55%
 Manufacturer: Remarks:
 Assessor:damin

TM30

