



Colorimetric Parameters

Chromaticity Coordinate: $x=0.4374$ $y=0.4011$ $u'=0.2521$ $v'=0.5203$
 CCT=2968K (Duv=-0.0012) Dominant WL:Ld =583.4nm Purity=51.7%
 Peak WL:Lp=644.2nm FWHM=189.5nm
 Render Index:Ra=96.5 Render Index:AvgR =96.5
 R1 =99 R2 =98 R3 =95 R4 =93 R5 =97 R6 =98 R7 =95
 R8 =97 R9 =99 R10=97 R11=90 R12=95 R13=99 R14=97 R15=99

Photometric & Radiometric Parameters

Flux=150.2 lm Eff.:54.85 lm/W Fe=616.9 mW

Electrical parameters

V=24.00 V I=0.1141 A P=2.738 W PF=1.000 F=0.00 Hz

LEVEL:OUT WHITE:ANSI_3000K

Status: Integral T = 77 ms Ip = 48561 (74%)
 Test Mode: Accuracy Test; Sensitivity = High; Tecool: ON

Model:XFL-TW-2417-24022-22/3095-SP005
 Test By:*** Date:2020-06-12 17:19:35
 Temperature:23Deg Humidity:55%
 Manufacturer: Remarks:
 Assessor:damin

TM30

