



Colorimetric Parameters

Chromaticity Coordinate: $x=0.4317$ $y=0.3954$ $u'=0.2510$ $v'=0.5172$
 CCT=3018K (Duv=-0.0028) Dominant WL:Ld =583.8nm Purity=48.3%
 Peak WL:Lp=646.9nm FWHM=191.8nm
 Render Index:Ra=96.3 Render Index:AvgR =96.2
 R1 =97 R2 =99 R3 =97 R4 =92 R5 =96 R6 =97 R7 =96
 R8 =96 R9 =95 R10=98 R11=89 R12=98 R13=97 R14=98 R15=97

Photometric & Radiometric Parameters

Flux=322.2 lm Eff.:56.87 lm/W Fe=1.336 W

Electrical parameters

V=24.00 V I=0.2361 A P=5.666 W PF=1.000 F=0.00 Hz

LEVEL:OUT WHITE:ANSI_3000K

Status: Integral T = 37 ms Ip = 50234 (77%)

Test Mode: Accuracy Test; Sensitivity = High; Tecool: ON

Model:XFL-TW-2417-24022-24/3595-SP005

Test By:***

Temperature:23Deg

Manufacturer:

Assessor:damin

Date:2020-06-12 16:28:02

Humidity:55%

Remarks:

TM30

