



Colorimetric Parameters

Chromaticity Coordinate: $x=0.4009$ $y=0.3861$ / $u'=0.2348$ $v'=0.5087$
 CCT=3560K (Duv=-0.0011) Dominant WL:Ld =581.1nm Purity=36.2%
 Peak WL:Lp=640.3nm FWHM=215.3nm
 Render Index:Ra=97.0 Render Index:AvgR =96.7
 R1 =98 R2 =99 R3 =97 R4 =93 R5 =97 R6 =98 R7 =96
 R8 =97 R9 =97 R10=99 R11=90 R12=93 R13=99 R14=98 R15=99

Photometric & Radiometric Parameters

Flux=182.0 lm Eff.:62.58 lm/W Fe=720.2 mW

Electrical parameters

V=24.00 V I=0.1212 A P=2.909 W PF=1.000 F=0.00 Hz

LEVEL:OUT WHITE:ANSI_3500K

Status: Integral T = 75 ms Ip = 49514 (76%)
 Test Mode: Accuracy Test; Sensitivity = High; Tecool: ON

Model:XFL-TW-2417-24022-24/3595-SP005
 Test By:*** Date:2020-06-12 16:27:16
 Temperature:23Deg Humidity:55%
 Manufacturer: Remarks:
 Assessor:damin

TM30

