



### Colorimetric Parameters

Chromaticity Coordinate:  $x=0.4364$   $y=0.4007$  /  $u'=0.2517$   $v'=0.5200$   
 CCT=2982K (Duv=-0.0013) Dominant WL:Ld =583.4nm Purity=51.3%  
 Peak WL:Lp=646.1nm FWHM=190.3nm  
 Render Index:Ra=96.6 Render Index:AvgR =96.4  
 R1 =99 R2 =98 R3 =95 R4 =93 R5 =97 R6 =98 R7 =95  
 R8 =97 R9 =98 R10=96 R11=91 R12=94 R13=100 R14=97 R15=99

### Photometric & Radiometric Parameters

Flux=150.8 lm Eff.:55.08 lm/W Fe=617.4 mW

### Electrical parameters

V=24.00 V I=0.1141 A P=2.738 W PF=1.000 F=0.00 Hz

LEVEL:OUT WHITE:ANSI\_3000K

Status: Integral T = 77 ms Ip = 48506 (74%)

Test Mode: Accuracy Test; Sensitivity = High; Tecool: ON

Model:XFL-TW-2419-24022-22/3595-SP005

Test By:  
 Temperature:23Deg  
 Manufacturer:  
 Assessor:damin

Date:2020-06-12 16:51:02  
 Humidity:55%  
 Remarks:

# TM30

