



### Colorimetric Parameters

Chromaticity Coordinate:  $x=0.4681$   $y=0.4088$   $u'=0.2687$   $v'=0.5279$   
 CCT=2575K (Duv=-0.0013) Dominant WL:Ld =585.3nm Purity=63.2%  
 Peak WL:Lp=647.7nm FWHM=149.5nm  
 Render Index:Ra=96.8 Render Index:AvgR =96.9  
 R1 =98 R2 =99 R3 =96 R4 =93 R5 =97 R6 =98 R7 =96  
 R8 =97 R9 =99 R10=99 R11=89 R12=99 R13=98 R14=97 R15=99

### Photometric & Radiometric Parameters

Flux=291.5 lm Eff.:51.41 lm/W Fe=1.265 W

### Electrical parameters

V=24.00 V I=0.2363 A P=5.671 W PF=1.000 F=0.00 Hz

LEVEL:OUT WHITE:OUT

Status: Integral T = 34 ms Ip = 48123 (73%)

Test Mode: Accuracy Test; Sensitivity = High; Tecool: ON

Model:XFL-TW-2419-24022-22/3595-SP005

Test By:  
 Temperature:23Deg  
 Manufacturer:  
 Assessor:damin

Date:2020-06-12 16:52:07  
 Humidity:55%  
 Remarks:

# TM30

