



Colorimetric Parameters

Chromaticity Coordinate: $x=0.5021$ $y=0.4179$ / $u'=0.2865$ $v'=0.5365$
 CCT=2253K (Duv=0.0008) Dominant WL: $\lambda_d = 586.6\text{nm}$ Purity=76.2%
 Peak WL: $\lambda_p = 651.6\text{nm}$ FWHM=132.0nm
 Render Index: Ra=97.2 Render Index: AvgR =96.9
 R1 =98 R2 =100 R3 =96 R4 =93 R5 =97 R6 =98 R7 =98
 R8 =99 R9 =97 R10=99 R11=88 R12=97 R13=98 R14=97 R15=99

Photometric & Radiometric Parameters

Flux=143.3 lm Eff.:49.92 lm/W Fe=661.9 mW

Electrical parameters

V=24.00 V I=0.1196 A P=2.870 W PF=1.000 F=0.00 Hz

LEVEL:OUT WHITE:OUT

Status: Integral T = 60 ms Ip = 48276 (74%)
 Test Mode: Accuracy Test; Sensitivity = High; Tecool: ON

Model: XFL-TW-2419-24022-22/3595-SP005
 Test By: Date: 2020-06-12 16:49:55
 Temperature: 23Deg Humidity: 55%
 Manufacturer: Remarks:
 Assessor: damin

TM30

