



Colorimetric Parameters

Chromaticity Coordinate: $x=0.4734$ $y=0.4093$ $u'=0.2719$ $v'=0.5289$
 CCT=2512K (Duv=-0.0014) Dominant WL:Ld =585.7nm Purity=65.0%
 Peak WL:Lp=648.5nm FWHM=145.1nm
 Render Index:Ra=96.7 Render Index:AvgR =96.8
 R1 =98 R2 =99 R3 =96 R4 =93 R5 =97 R6 =98 R7 =96
 R8 =97 R9 =99 R10=99 R11=89 R12=98 R13=98 R14=97 R15=99

Photometric & Radiometric Parameters

Flux=158.1 lm Eff.:52.67 lm/W Fe=697.1 mW

Electrical parameters

V=24.00 V I=0.1251 A P=3.002 W PF=1.000 F=0.00 Hz

LEVEL:OUT WHITE:OUT

Status: Integral T = 61 ms Ip = 48108 (73%)

Test Mode: Accuracy Test; Sensitivity = High; Tecool: ON

Model:XFL-TW-2419-24022-24/3595-SP005

Test By:
 Temperature:23Deg
 Manufacturer:
 Assessor:damin

Date:2020-06-12 16:59:14
 Humidity:55%
 Remarks:

TM30

