

4

3

2

1

NOTES- UNLESS OTHERWISE SPECIFIED:

1. MATERIAL: ALUMINUM 6063, 6061, 6463, OR 6005 (ANY CONDITION).
2. FINISH: SPECIFY IN PART NUMBER- BLACK OR CLEAR ANODIZE.
OTHER COLORS AVAILABLE UPON REQUEST. SEE NOTE 4.
3. DEBUR SHARP EDGES.
4. MOUNTING OPTIONS TO BE SPECIFIED UPON ORDER AS SHOWN
IN MOUNTING OPTIONS TABLE.
5. PART NUMBER DESCRIPTION: (FOR ORDERING)

XSA-37- - -

XSM MOUNTING

"M2" - M2 SCREW THREAD
"M3" - M3 SCREW THREAD



FINISH

"B" - BLACK ANODIZE
"C" - CLEAR ANODIZE
"Z" - CUSTOM OTHER (SPECIFY)


MOUNTING OPTION

SEE TABLE
(MULTIPLE AVAILABLE
EXAMPLE "27" SPECIFIES
OPTION 2 AND 7)


6. SAMPLES PROVIDED BY XICATO ARE PART NO XSA-37-M2-B-N OR XSA-37-M3-B-N
7. FOR AN APPROVED SUPPLIER LIST CONTACT YOUR LOCAL XICATO REPRESENTATIVE.
8. THE DESIGNATION "#" IN THE MOUNTING OPTION TABLE IS A PLACEHOLDER FOR XSM MOUNTING OPTINS ("2" OR "3") AND FINISH ("B", "C", ETC.).



DETAIL B
DIMENSIONS APPLY TO 3 PLACES
SCALE 2.000




DETAIL A
DIMENSIONS APPLY TO BOTH SIDES
SCALE 2.000



MOUNTING OPTION 7
BOTH SIDES OF PART

XSM MOUNTING OPTION M2:
3X DRILL & TAP M2 X 0.4, 5mm DEEP MIN
XSM MOUNTING OPTION M3:
3X DRILL & TAP M3 X 0.5, 5mm DEEP MIN



(MODULE SIDE OF HEATSINK)

MOUNTING OPTION TABLE- NOTE 4, NOTE 5, NOTE 8

MOUNTING OPTION	PART NUMBER	THREAD	THREAD DEPTH
NONE	XSA-37-M#-#-N	NONE	NONE
1	XSA-37-M#-#-1	M10 X 1.5	20mm MIN.
2	XSA-37-M#-#-2	3/8"-16 UNC	0.75" MIN.
3	XSA-37-M#-#-3	M3 X 0.5	9mm MIN.
4	XSA-37-M#-#-4	#6-32 UNC	0.35" MIN.
5	XSA-37-M#-#-5	M2 X 0.4	8mm MIN.
6	XSA-37-M#-#-6	M2 X 0.4	8mm MIN.
7	XSA-37-M#-#-7	M2 X 0.4	5mm MIN.
8	XSA-37-M#-#-8	M3 X 0.5	8mm MIN.

-CONFIDENTIAL-


THIS DOCUMENT IS AND CONTAINS CONFIDENTIAL AND TRADE
SECRET INFORMATION OF XICATO INC.

THIS DOCUMENT IS LOANED FOR LIMITED PURPOSES ONLY AND
REMAINS THE PROPERTY OF XICATO INC.
IT IS TO BE RETURNED UPON REQUEST AND IN
ALL EVENTS UPON COMPLETION OF PURPOSE OF THE LOAN.

NEITHER IT NOR THE INFORMATION IT CONTAINS MAY BE
REPRODUCED, USED, OR DISCLOSED TO PERSONS NOT HAVING A
NEED TO KNOW CONSISTENT WITH THE PURPOSE OF THE LOAN
WITHOUT WRITTEN CONSENT OF XICATO INC.

UNLESS OTHERWISE SPECIFIED,
DIMENSIONS ARE IN MILLIMETERS.
STANDARD TOLERANCES ARE:

0-10± 0.1
10-50± 0.15
50-100± 0.20
100+± 0.25
ANGLES ±1.5°



DATE: 6/4/2012

DSR: J. DUNHAM

REL.:

PROD.:

ENGR.:

CHKD.:

CHKD.:

XICATO INC

TITLE
HEATSINK, RADIAL, SMALLDWG SIZE
C

SCALE: 1.000

PART NUMBER
X00726REV.
BSHEET
1 OF 1