

XDDL


Architectural Downlights



True Flicker-Free

Xmesh Wireless

Superior Color



***10 Year
Warranty***

Product Portfolio

xicato[®]



XDL

XDL Downlight from Xicato brings together superior LED light, driver, and controls in terms of quality, longevity, and intelligence in an elegant yet flexible package that enables designers to individualize and optimize each space for every application. Select Xmesh option to enable every XDL fixture to act as a network node within the Xicato smart building ecosystem which unleashes greater capabilities including wireless control, data analytics, remote access, and asset tracking.

Innovation

XDL is the brainchild of Xicato's renowned engineering and innovation. Integrating Xicato's world class LED light source and its high performance driver into an innovative downlight design is simply the birth of a world class lighting fixture. Backed by industry leading warranty, Xicato stands behind its innovation to provide piece of mind while reducing overall TCO.

Difference

- Best-in-class warranty (up to 10 yrs)
- World class color fidelity
- Best color consistency (1x2 SDCM)
- ZERO color shift with Xicato XTM
- ZERO flicker, visible and invisible
- 0-10V and DALI-2 dimming
- Wireless capable with Xmesh option
- Remote access and asset tracking
- Xicato's smart building ecosystem

Applications

- Commercial Offices and Buildings
- Museums, Heritage, Galleries
- Retail Shops and Malls
- Hotels and Hospitality
- Healthcare facilities, hospitals
- Schools and Educational Facilities
- Mixed Use and High End Residential

XDL

Customize and Individualize


Aperture Size



E4 - 4" (100mm)

E6 - 6" (150mm)


Shape



Round

Square

Application



Fixed


Tilt up to 30°

2-in-1 Adaptive Design




Wall Wash

Mounting Style




Trimless (Mud Ring)



Trimmed (White or Black)

Lighting

Xicato XOB



4": Up to 2030Lm
6": Up to 3100Lm

Xicato XTM



6": Up to 2250Lm



CCT: 2700K, 3000K
3500K, 4000K


CRI

>90, >95,
>95 Vibrant




4": 20°, 25°, 36°, 50°
6": 20°, 30°, 50°
6" XTM: 25°, 36°, 50°


Reflector Finish




Matte White



Matte Black



Matte Silver



Chrome Black



Chrome Silver

Dimming Control



**Install &
Forget**

**ZERO
Color-Shift**

**Lowest
TCO**

**Low Service &
Maintenance**

**1 x 2
SDCM**

102 Cooper Ct., Los Gatos, CA 95032
info@xicato.com www.xicato.com